

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

## SCIENCE.

EDITORIAL COMMITTEE: S. NEWCOMB, Mathematics; R. S. WOODWARD, Mechanics; E. C. PICKERING, Astronomy; T. C. Mendenhall, Physics; R. H. Thurston, Engineering; Ira Remsen, Chemistry;

JOSEPH LE CONTE, Geology; W. M. DAVIS, Physiography; O. C. Marsh, Paleontology; W. K.

BROOKS, Invertebrate Zoölogy; C. Hart Merriam, Vertebrate Zoölogy; N. L. Britton,

Botany; Henry F. Osborn, General Biology; H. P. Bowditch, Physiology;

J. S. Billings, Hygiene; J. McKeen Cattell, Psychology;

Daniel G. Brinton, J. W. Powell, Anthropology.

## FRIDAY, MARCH 22, 1895.

CONTENTS:
Argon: IRA REMSEN
The Fundamental Difference between Animals and Plants: Charles S. Minot
The Best Order of Topics in a Two-years' Course of Anatomy in a Medical School: FREDERIC HENRY GERRISH
Current Notes on Physiography (IV.): W. M. DAVIS318
Annual Reception of the New York Academy: HENRY F. OSBORN
Correspondence: —
Scientific Literature:
Notes and News:—331 Biology; Welding of Iron; The Joint Commission of Scientific Societies of Washington; General.
Societies and Academies: —
Scientific Journals335
New Books336
MSS. intended for publication and books, etc., intended for review should be sent to the responsible editor, Prof. J. McKeen Cattell, Garrison on Hudson, N. Y. Subscriptions and advertisements should be sent to Science, 41 N. Queen St., Lancaster, Pa., or 41 East 49th St., New York.

## ARGON.

The plain facts concerning argon are these: For some time past Lord Rayleigh has been engaged on refined work involving the weighing of various gases. Last year he found that the nitrogen obtained from the air is a little heavier than that made from definite chemical compounds. This led him to further experiments and, at the same

time, Professor W. Ramsay, of University College, London, also undertook experiments with the object of explaining, if possible, the discrepancy. The general method of work consisted in passing air, first through substances that have the power to remove those constituents that are present in small quantities, such as water vapor, carbonicacid gas, etc., then through a heated tube containing copper. The oxygen of the air unites with the heated copper, and what has hitherto been regarded as nitrogen remains uncombined. This 'atmospheric nitrogen' was subsequently treated in three different ways for the purpose of removing the nitrogen from it.

- (1) It was drawn through clay pipes in the hope that, if the gas is a mixture, one of the constituents would pass through the porous material more easily than the other, and at least a partial separation be thus effected. While something was accomplished in this way, the experiment was on the whole unsatisfactory.
- (2) The 'atmospheric nitrogen' was mixed with oxygen in a vessel containing caustic alkali, and electric sparks were passed through the mixture. Under these circumstances the oxygen united with nitrogen and formed a compound which is soluble in alkali. After no further absorption of nitrogen could be effected by sparking, any unchanged oxygen present was removed, and there was then found a residue